T Number	Hits	Search Text	DB	Time stamp
L Number	3		USPAT;	2003/09/05 11:48
-		0307333.pm.	DERWENT; IBM TDB	2003/03/03 11:10
-	1022	(725/131-132,135-141,151-153).ccls.	USPAT; DERWENT; IBM TDB	2002/07/23 20:07
-	222	(725/131-132,135-141,151-153).ccls. and (application\$1 same broadcast\$3)	USPAT; DERWENT;	2002/07/23 20:08
-	98	(725/131-132,135-141,151-153).ccls. and (application\$1 same broadcast\$3 same	IBM_TDB USPAT; DERWENT;	2002/07/23 20:10
-	11	(transmit\$3 or send\$3 or deliver\$4)) (725/131-132,135-141,151-153).ccls. and ((interactive near2 application\$1) same broadcast\$3 same (transmit\$3 or send\$3 or	IBM_TDB USPAT; DERWENT; IBM_TDB	2002/07/23 21:03
-	98	deliver\$4)) ((725/131-132,135-141,151-153).ccls. and (application\$1 same broadcast\$3 same (transmit\$3 or send\$3 or deliver\$4))) and	USPAT; DERWENT; IBM_TDB	2002/07/23 20:13
-	11	(@ad<=19990802 or @rlad<=19990802) ((725/131-132,135-141,151-153).ccls. and ((interactive near2 application\$1) same broadcast\$3 same (transmit\$3 or send\$3 or deliver\$4))) and (@ad<=19990802 or	USPAT; DERWENT; IBM_TDB	2002/07/23 21:32
_	6	@rlad<=19990802) ("5442389" "5533021" "5548532" "5566174" "5986690" "6240555").PN.	USPAT	2002/07/23 20:24
-	6		USPAT	2002/07/23 20:54
-	1 851		USPAT; USPAT; DERWENT;	2002/07/23 21:03 2002/07/23 21:08
-	3	(725/\$).ccls. and ((interactive near2 (module\$1 or software or component\$1 or application\$1)) same (convert\$3 or conform\$3) same (broadcast\$3 same	IBM_TDB USPAT; DERWENT; IBM_TDB	2002/07/24 16:29
-	2	near2 (module\$1 or software or component\$1 or application\$1)) and ((convert\$3 or transform\$3) same (compatible or	USPAT; DERWENT; IBM_TDB	2002/07/23 21:18
-	16	or component\$1 or application\$1)) same (convert\$3 or transform\$3 or translat\$3 or chang\$3 or edit\$4)same (conform\$3 or	USPAT; DERWENT; IBM_TDB	2003/01/10 16:22
_	589	compatible)) 725/103,114,133,136,138,141,144,153.ccls.	USPAT; DERWENT; IBM TDB	2002/07/23 21:32
_	440	725/103,114,133,136,138,141,144,153.ccls. and application\$1	USPAT; DERWENT; IBM TDB	2002/07/23 21:32
-	50	725/103,114,133,136,138,141,144,153.ccls. and (interactive near2 application\$1)	USPAT; DERWENT;	2002/07/23 21:37
-	50	and (interactive near2 application\$1)) and	IBM_TDB USPAT; DERWENT;	2002/07/24 13:42
-	16	(@ad<=19990802 or @rlad<=19990802) 725/103,114,133,136,138,141,144,153.ccls. and (interactive near2 application\$1) and ((convert\$3 or transform\$3 or translat\$4) same (compatible or conform\$3	IBM_TDB USPAT; DERWENT; IBM_TDB	2002/07/23 21:39
_	40	or adapt\$4)) (real\$1time near2 application\$1) same game\$1	USPAT; DERWENT;	2002/07/24 13:26
-	34	((real\$1time near2 application\$1) same game\$1) and (@ad<=19990802 or @rlad<=19990802)	IBM_TDB USPAT; DERWENT; IBM_TDB	2002/07/24 16:31

-	31	(725/32,136).ccls. and ((interactive near5	USPAT;	2002/07/24 16:39
		(module\$1 or software or component\$1 or	DERWENT;	
	20	application\$1 or program\$1)))	IBM_TDB USPAT;	2002/07/24 16 22
-	30	((725/32,136).ccls. and ((interactive near5 (module\$1 or software or component\$1	DERWENT;	2002/07/24 16:32
		or application\$1 or program\$1)))) and	IBM TDB	
		(@ad<=19990802 or @rlad<=19990802)	1511_155	
_	10	((725/32,136).ccls. and ((interactive	USPAT;	2002/07/24 16:42
		near5 (module\$1 or software or component\$1	DERWENT;	=====================================
		or application\$1 or program\$1)))) and	IBM TDB	
		(@ad<=19990802 or @rlad<=19990802) and	_	
		(real\$1time)		· ·
-	165	((725/\$).ccls. and ((interactive near5	USPAT;	2002/07/24 16:51
		(module\$1 or software or component\$1 or	DERWENT;	
		application\$1 or program\$1)))) and	IBM_TDB	
	1.0	real\$1time	HODAM.	2002/07/24 16:41
-	10	((725/\$).ccls. and ((interactive near5	USPAT; DERWENT;	2002/07/24 16:41
		<pre>(module\$1 or software or component\$1 or application\$1 or program\$1)))) and</pre>	IBM TDB	
		(real\$1time same game\$1)	156-155	
_	9	(((725/\$).ccls. and ((interactive near5	USPAT;	2002/07/24 16:41
		(module\$1 or software or component\$1 or	DERWENT;	
		application\$1 or program\$1)))) and	IBM_TDB	
1		(real\$1time same game\$1)) not	-	
		(((725/32,136).ccls. and ((interactive		
		near5 (module\$1 or software or component\$1		
		or application (1 or program (1)))) and		
		(@ad<=19990802 or @rlad<=19990802) and		
		(real\$1time))	HODAM.	2002/07/24 16:42
-	9	((((725/\$).ccls. and ((interactive near5 (module\$1 or software or component\$1 or	USPAT; DERWENT;	2002/07/24 16:42
		application\$1 or program\$1)))) and	IBM TDB	
		(real\$1time same game\$1)) not	1511_155	
		(((725/32,136).ccls. and ((interactive		
İ	!	near5 (module\$1 or software or component\$1		
		or application\$1 or program\$1)))) and		
		(@ad<=19990802 or @rlad<=19990802) and		
		(real\$1time))) and (@ad<=19990802 or		
	161	@rlad<=19990802) (((725/\$).ccls. and ((interactive near5	USPAT;	2002/07/24 16:57
-	101	(module\$1 or software or component\$1 or	DERWENT;	2002/07/24 10:57
		application \$1 or program \$1)))) and	IBM TDB	
		real\$1time) and (@ad<=19990802 or	1211_132	
		@rlad<=19990802)		
-	164	((725/\$).ccls. and ((interactive near5	USPAT;	2002/07/24 16:53
		(module\$1 or software or component\$1 or	DERWENT;	
		application \$1 or program \$1)))) and	IBM_TDB	
		real\$1time and (stor\$3 or sav\$3)		0000/07/04 15 55
-	78	((725/\$).ccls. and ((interactive near5 (module\$1 or software or component\$1 or	USPAT; DERWENT;	2002/07/24 16:55
		(modules) or software or components) or application\$1 or program\$1)))) and	IBM TDB	
	!	(real\$1time same(stor\$3 or sav\$3))	1011-108	
-	77	(((725/\$).ccls. and ((interactive near5	USPAT;	2002/07/24 16:54
		(module\$1 or software or component\$1 or	DERWENT;	
		application\$1 or program\$1)))) and	IBM_TDB	
		(real\$1time same(stor\$3 or sav\$3))) and	_	
	_	(@ad<=19990802 or @rlad<=19990802)		
_	8	((725/\$).ccls. and (((interactive near5	USPAT;	2002/07/24 16:55
		(module\$1 or software or component\$1 or	DERWENT;	
		application\$1 or program\$1)))) same (real\$1time same(stor\$3 or sav\$3)))	IBM_TDB	
_	7	(((725/\$).ccls. and (((interactive near5	USPAT;	2002/07/24 16:57
	,	(module\$1 or software or component\$1 or	DERWENT;	2002,01,21 10.51
		application\$1 or program\$1)))) same	IBM TDB	
		(real\$1time same(stor\$3 or sav\$3)))) and	_	
		(@ad<=19990802 or @rlad<=19990802)		
-	4	("5689799" or "5848352").pn.	USPAT;	2002/07/24 18:25
			DERWENT;	
_	2	("6198509").pn.	IBM_TDB USPAT;	2002/07/24 18:25
		(0130303).pii.	DERWENT;	2002/01/24 10:23
			IBM TDB	
	L	La <u> </u>		I

	A	110000	1 0000 /07 /04 10 06
-	4 ("4965825" "5353121" "5532754" "5585866").PN.	USPAT	2002/07/24 18:26
-	2 5734413.pn.	USPAT; DERWENT;	2002/07/24 19:58
-	("Re28507" "3095653" "3245157" "3359655" "3378937" "3546791" "3606688" "3641685" "3671668" "3777410" "3789136" "3810627"	IBM_TDB USPAT	2002/07/24 18:53
	"3819862" "3824334" "3858212" "3909002" "3909818" "3936595" "3987397" "3990012" "4025851" "4034990" "4044380" "4052798"		
	"4054911" "4114141" "4115846" "4141548" "4174517" "4194198" "4228422" "4264924" "4266214" "4326221" "4339798" "4372558"		
	"4387271" "4572509" "4573072" "4592546" "4593904" "4608601" "4609358" "4652998" "4745468" "4786985" "4807031" "4847698"		
	"4876592" "4910775" "4918516" "4926255" "4956709" "4977455" "5013038" "5034807" "5057915" "5073931" "5083800" "5093718"		
	"5093921" "5120076" "5128752" "5136644" "5227874" "5249044" "5283734" "5297205").PN.	мараж	2002/07/24 10 50
-	3 5734413.URPN. 1 6067107.pn. and (real\$1time or 'real	USPAT;	2002/07/24 18:59 2002/07/25 10:23
	time')	DERWENT; IBM_TDB	
_	5734413.pn. and (real\$1time or 'real time')	USPAT; DERWENT; IBM TDB	2002/07/24 22:40
129	(interrogat\$3 or check\$3) with (download\$)	USPAT; DERWENT; IBM TDB	2002/07/25 09:23
- 10	<pre>((interrogat\$3 or check\$3) with (download\$))and ((conform\$3 or adapt\$3 or compatible) with (transmission\$1 or mechanism\$3))</pre>	USPAT; DERWENT; IBM_TDB	2002/07/25 09:33
-	(((interrogat\$3 or check\$3) with (download\$)) and ((conform\$3 or adapt\$3 or compatible) with (transmission\$1 or mechanism\$3))) and 725/\$.ccls.	USPAT; DERWENT; IBM_TDB	2002/07/25 09:32
- 10	<pre>(((interrogat\$3 or check\$3) with (download\$)) and ((conform\$3 or adapt\$3 or compatible) with (transmission\$1 or mechanism\$3))) and (application\$1 or</pre>	USPAT; DERWENT; IBM_TDB	2002/07/25 09:32
- :	software\$1 or module\$1 or program\$1) (((interrogat\$3 or check\$3) with (download\$))and ((conform\$3 or adapt\$3 or compatible) with (transmission\$1 or mechanism\$3)))same (application\$1 or	USPAT; DERWENT; IBM_TDB	2002/07/25 10:05
-	software\$1 or module\$1 or program\$1) (((interrogat\$3) with download\$)same (application\$1 or software\$1 or module\$1	USPAT; DERWENT;	2002/07/25 10:08
-	or program\$1)) and 725/\$.ccls. (((interrogat\$3) with (download\$))and((conform\$3 or adapt\$3 or compatible) with (transmission\$1 or	IBM_TDB USPAT; DERWENT; IBM_TDB	2002/07/25 10:08
	mechanism\$3)))same (application\$1 or software\$1 or module\$1 or program\$1) ((interrogat\$3) with download\$)same (application\$1 or software\$1 or module\$1	USPAT; DERWENT;	2002/07/25 10:09
-	or program\$1) 6067107.pn. and (download\$3 or sav\$3)	IBM_TDB USPAT; DERWENT; IBM TDB	2002/07/25 10:23

-	2	6067107.pn. and (download\$3 or sav\$3 or stor\$3)	USPAT; DERWENT;	2002/07/25 10:24
-	105	725/48,49,54.ccls.	IBM_TDB USPAT; US-PGPUB;	2003/01/08 15:59
-	41	725/48,49,54.ccls. and interactive	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/01/08 16:00
-	33		EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/01/08 16:29
		(@ad<=19990802 or @rlad<=19990802)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	0000 (01 (10 00 00
_	221	348/722.ccls. and (@ad<=19990802 or @rlad<=19990802)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/10 20:06
-	25	348/722.ccls. and (@ad<=19990802 or @rlad<=19990802) and interactive	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/08 18:27
-	2	5635978.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/09 10:33
_	6285	(709/217-234).ccls. and (@ad<=19980911 or @rlad<=19980911)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/09 11:25
-	35	<pre>@rlad<=19980911)) and ((detect\$3 or determin\$5) near3 (format or capabilit\$3 or 'media player' or form) near3 (receiver or computer or 'reception device' or</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 11:08
_	433	player or playback)) 725/114,116,117,93,138,144,146,147.ccls. and inter\$lactive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/09 11:20
-	260	(725/114,116,117,93,138,144,146,147.ccls. and inter\$lactive) and ((conver\$5 or transform\$3 or edit\$3 or chang\$3)same (format\$3 or capabili\$3 or configur\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/09 11:24
-	207	(725/114,116,117,93,138,144,146,147.ccls. and inter\$1active) and ((conver\$5 or transform\$3 or edit\$3 or chang\$3)with (format\$3 or capabili\$3 or configur\$5))	USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/09 11:25
-	29	725/\$.ccls. and ((detect\$3 or determin\$5) near3 (format or capabilit\$3 or 'media player' or form) near3 ((receiver or computer or 'reception device' or player or playback or ('set top' near2 (box or terminal or device or unit)) or STB or STU)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 11:25
-	179	((725/114,116,117,93,138,144,146,147.ccls. and inter\$1active) and ((conver\$5 or transform\$3 or edit\$3 or chang\$3)with (format\$3 or capabili\$3 or configur\$5))) and (@ad<=19980911 or @rlad<=19980911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/09 11:47

	····			
-	174	709/320,329.ccls.	USPAT;	2003/01/10 16:21
	4		US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
l _	201656	(convert\$3 or transform\$3 or translat\$3 or	USPAT;	2003/01/10 16:30
-	201030	chang\$3)same (format\$4 or form\$1 same	DERWENT;	2003/01/10 10.30
		conform\$3 or compatible)	IBM TDB	
_	53	709/320,329.ccls. and ((convert\$3 or	USPĀT;	2003/01/10 16:30
		transform\$3 or translat\$3 or chang\$3)same	DERWENT;	
		(format\$4 or form\$1 same conform\$3 or	IBM TDB	
		compatible))	_	
-	751	717/136,168-178.ccls.	USPAT;	2003/01/10 16:31
			DERWENT;	· ·
			IBM_TDB	
-	197	((convert\$3 or transform\$3 or translat\$3	USPAT;	2003/01/10 16:31
		or chang\$3)same (format\$4 or form\$1 same	DERWENT;	
		conform\$3 or compatible)) and 717/136,168-178.ccls.	IBM_TDB	
_	249	(709/320,329.ccls. and ((convert\$3 or	USPAT;	2003/01/10 16:31
	243	transform\$3 or translat\$3 or chang\$3)same	DERWENT;	2003/01/10 10.31
		(format\$4 or form\$1 same conform\$3 or	IBM TDB	
		compatible))) or (((convert\$3 or		
		transform\$3 or translat\$3 or chang\$3)same		
		(format\$4 or form\$1 same conform\$3 or		
	1	compatible)) and 717/136,168-178.ccls.)		
-	192	((709/320,329.ccls. and ((convert\$3 or	USPAT;	2003/01/10 16:32
		transform\$3 or translat\$3 or chang\$3)same	DERWENT;	
		(format\$4 or form\$1 same conform\$3 or	IBM_TDB	
	1	compatible))) or (((convert\$3 or		
	•	transform\$3 or translat\$3 or chang\$3)same (format\$4 or form\$1 same conform\$3 or		
		compatible)) and 717/136,168-178.ccls.))		
		and (@ad<=19980911 or @rlad<=19980911)		
_	303	vanderp\$.xa.	USPAT;	2003/01/10 20:03
			US-PGPUB;	
	ļ		EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	15	("5204861" "5278972" "5351237"	USPĀT	2003/01/10 19:58
		"5483527" "5521914" "5604737" "5724355" "5907610" "5915001"		
	1	"5930250" "6023499" "6067350"		
		"6144670" "6195357" "6198738").PN.		
_	0	multiprotocol adj1 converter	USPAT;	2003/01/10 20:03
	1		US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0000/65/55 == 5
-	2	multiprotocol adj1 conversion	USPAT;	2003/01/10 20:03
	1		US-PGPUB;	
]		EPO; JPO; DERWENT;	
†			IBM TDB	
_	3	multi-protocol adj1 conversion	USPAT;	2003/01/10 20:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2	multi-protocol adj1 converter	USPAT;	2003/01/10 20:05
			US-PGPUB;	
			EPO; JPO;	
1	-		DERWENT;	
_	20	multi\$1protocol near2 conver\$5	IBM_TDB USPAT;	2003/01/10 20:06
	20	marcrathrococol Hears Converso	US-PGPUB;	2003/01/10 20:00
			EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM_TDB	

Page 5

-	16	(multi\$1protocol near2 conver\$5) and (@ad<=19980911 or @rlad<=19980911)	USPAT; US-PGPUB; EPO; JPO;	2003/01/10 20:32
	388	(inter\$lactive near2 (software\$1 or	DERWENT; IBM_TDB USPAT;	2003/01/10 20:30
		program\$1 or application\$1 or module\$1)) with (component\$1 or element\$1)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/10 20:30
-	225	<pre>(inter\$lactive near2 (software\$1 or program\$1 or application\$1 or module\$1)) near6 (component\$1 or element\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/10 20:31
-	158	<pre>(inter\$lactive near2 (software\$1 or program\$1 or application\$1 or module\$1)) near3 (component\$1 or element\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/10 20:31
-	117	<pre>(inter\$1active near2 (software\$1 or program\$1 or application\$1 or module\$1)) near2 (component\$1 or element\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/10 20:40
-	73	((inter\$1active near2 (software\$1 or program\$1 or application\$1 or module\$1)) near2 (component\$1 or element\$1)) and (@ad<=19980911 or @rlad<=19980911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 20:41
-	38	<pre>(inter\$lactive near2 application\$1 near3 (components or elements))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/10 20:41
-	17	((inter\$1active near2 application\$1 near3 (components or elements))) and (@ad<=19980911 or @rlad<=19980911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/10 20:41
-	545	((interrogat\$5 or examin\$3 or determin\$3) with capabilit\$4 with application\$3)	USPAT; DERWENT; IBM TDB	2003/01/12 18:35
_	18	((interrogat\$5 or examin\$3 or determin\$3) with capabilit\$4 with application\$3) with (CPU or processor\$1)	USPAT; DERWENT; IBM_TDB	2003/01/12 18:35
-	13	(((interrogat\$5 or examin\$3 or determin\$3) with capabilit\$4 with application\$3) with (CPU or processor\$1)) and (@ad<=19980911 or @rlad<=19980911)	USPAT; DERWENT; IBM_TDB	2003/01/12 18:39
-	1433	(interrogat\$4 near5 processor\$1) and (@ad<=19980911 or @rlad<=19980911)	USPAT; DERWENT; IBM TDB	2003/01/12 18:39
-	17	((interrogat\$4 near5 processor\$1)with capabilit\$3) and (@ad<=19980911 or @rlad<=19980911)	USPAT; DERWENT; IBM TDB	2003/08/28 14:38
_	517	((substitut\$3 or replac\$3) with interactive) and (@ad<=19980911 or @rlad<=19980911)	USPAT; DERWENT; IBM_TDB	2003/01/13 10:19
-	140	((substitut\$3 or replac\$3) near5 interactive) and (@ad<=19980911 or @rlad<=19980911)	USPAT; DERWENT; IBM_TDB	2003/01/13 10:19
_	6	(((substitut\$3 or replac\$3) near5 interactive) and (@ad<=19980911 or @rlad<=19980911)) and 725/\$.ccls.	USPAT; DERWENT; IBM_TDB	2003/01/13 10:36
-	0	(bit near2 map\$1) with sound\$1 with file\$1 with instruction\$1 with chip\$1	USPAT; DERWENT; IBM TDB	2003/01/13 10:37
_	4	(interactive with (video near2 chip\$1))	USPAT; DERWENT; IBM TDB	2003/01/13 10:39
			·	

78	(application\$1 with (video near2 chip\$1))	USPAT; DERWENT;	2003/01/13 11:21
23	((application\$1 with (video near2 chip\$1))) and (sound\$1)	USPAT; DERWENT;	2003/01/13 10:40
1	((application\$1 with (video near2 chip\$1))) with (sound\$1)	USPAT; DERWENT;	2003/01/13 10:40
0	((application\$1 with (video near2 chip\$1))) with (bit)	USPAT; DERWENT;	2003/01/13 10:40
2	("6463585").pn.	USPAT; DERWENT;	2003/01/13 11:22
5	("5576755" "5666645" "5635978" "5619249" "6496981").pn.	USPAT	2003/01/13 11:23
4	(Open\$1TV or Web\$1TV) and power\$1TV	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/28 11:06
958	(Open\$1TV or Web\$1TV) and (power\$1TV or Web\$1TV)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/28 11:07
10	((Web near2 TV) Web\$1TV) and (power\$1TV or openTV)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/28 11:08
2	(((Web near2 TV) Web\$1TV) and (power\$1TV or openTV)) and (@ad<=19980911 or @ad<=19980911)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/28 11:14
19	(format\$3 or protocol\$1 or form\$1) with (conform\$5 or suit\$4 or use))same networks) and (@ad<=19980911 or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/28 16:12
309219	<pre>((convert\$3 or conversion)with (protocol\$3 or format\$3 or form\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/28 16:09
3570	((convert\$3 or conversion)near4 (protocol\$3 or format\$3 or form\$1))with (conform\$7 or suit\$3 or compatibl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/28 16:11
83	(((convert\$3 or conversion)near4 (protocol\$3 or format\$3 or form\$1))with (conform\$7 or suit\$3 or compatibl\$3))same broadcast\$3	USPĀT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/28 16:11
671	(((convert\$3 or conversion)near4 (protocol\$3 or format\$3 or form\$1))with (conform\$7 or suit\$3 or compatibl\$3))same network\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/28 16:11
435	<pre>(((convert\$3 or conversion)near4 (protocol\$3 or format\$3 or form\$1))with (conform\$7 or suit\$3 or compatibl\$3))with network\$3</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/28 16:11
35	(((convert\$3 or conversion)near4 (protocol\$3 or format\$3 or form\$1))with (conform\$7 or suit\$3 or compatibl\$3))with networks	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 16:12
	23 1 0 2 5 4 958 10 2 19 309219 3570 83 671 435	((application\$1 with (video near2 chip\$1)) and (sound\$1) ((application\$1 with (video near2 chip\$1))) with (sound\$1) ((application\$1 with (video near2 chip\$1)) with (bit) ("6463585").pn. ("5576755" "5666645" "5635978" "5619249" "6496981").pn. (Open\$1TV or Web\$1TV) and power\$1TV (Open\$1TV or Web\$1TV) and (power\$1TV or Web\$1TV) ((Web near2 TV) Web\$1TV) and (power\$1TV or openTV) (((Web near2 TV) Web\$1TV) and (power\$1TV or openTV) ((((convert\$3 or conversion\$1) near6 (format\$3 or protocol\$1 or form\$1) with (conform\$5 or suit\$4 or use))same network\$1 and (@ad<=1998091) (((convert\$3 or conversion) with (protocol\$3 or format\$3 or form\$1)) ((convert\$3 or conversion) near4 (protocol\$3 or format\$3 or form\$1)) ((convert\$3 or conversion) near4 (protocol\$3 or format\$3 or form\$1)) with (conform\$7 or suit\$3 or compatibl\$3)) (((convert\$3 or conversion) near4 (protocol\$3 or format\$3 or form\$1)) with (conform\$7 or suit\$3 or compatibl\$3)) same broadcast\$3 ((((convert\$3 or conversion) near4 (protocol\$3 or format\$3 or form\$1)) with (conform\$7 or suit\$3 or compatibl\$3)) same network\$3 ((((convert\$3 or conversion) near4 (protocol\$3 or format\$3 or form\$1)) with (conform\$7 or suit\$3 or compatibl\$3)) same network\$3 ((((convert\$3 or conversion) near4 (protocol\$3 or format\$3 or form\$1)) with (conform\$7 or suit\$3 or compatibl\$3)) same network\$3 ((((convert\$3 or conversion) near4 (protocol\$3 or format\$3 or form\$1)) with (conform\$7 or suit\$3 or compatibl\$3)) with network\$3 ((((convert\$3 or conversion) near4 (protocol\$3 or format\$3 or form\$1)) with (conform\$7 or suit\$3 or compatibl\$3)) with network\$3 ((((convert\$3 or conversion) near4 (protocol\$3 or format\$3 or form\$1)) with (conform\$7 or suit\$3 or compatibl\$3)) with network\$3	Capplication\$1 with (video near2 chip\$1)) and (sound\$1) Capplication\$1 with (video near2 chip\$1)) with (sound\$1) Capplication\$1 with (video near2 chip\$1)) with (sound\$1) Capplication\$1 with (video near2 chip\$1)) with (bit) Capplication\$1 with (video near2 chip\$1)) with (bit) Capplication\$1 with (video near2 chip\$1)) with (bit) Capplication\$1 with (video near2 chip\$1) Capplication\$1 with (video near2 chip\$1 with (video near2 chip\$1) Capplication\$1 with (video near2 chip\$1 with (video near2 chip\$1) Capplication\$1 with (video near2 chip\$1 with (video

-	27	((((convert\$3 or conversion)near4	USPAT;	2003/08/28 16:12
		(protocol\$3 or format\$3 or form\$1))with (conform\$7 or suit\$3 or compatibl\$3))with	US-PGPUB; EPO; JPO;	
		networks) and (@ad<=19980911 or	DERWENT;	
		@ad<=19980911)	IBM TDB	
-	50	((((convert\$3 or conversion)near4	USPAT;	2003/08/28 17:04
		(protocol\$3 or format\$3 or form\$1))with	US-PGPUB;	
		<pre>(conform\$7 or suit\$3 or compatibl\$3))same broadcast\$3) and (@ad<=19980911 or</pre>	EPO; JPO; DERWENT;	
		@ad<=19980911)	IBM TDB	
-	2	WebTV same (OpenTV or PowerTV)	USPAT;	2003/08/28 17:02
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	1812	(convert\$3 or conversion\$1)near3	USPAT;	2003/08/28 17:03
		protocol\$1 near3 (network\$1 or system\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	1102	(convert\$3 or conversion\$1)near3	USPAT;	2003/08/28 17:04
		protocol\$1 near3 (network\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	511	((convert\$3 or conversion\$1)near3	IBM_TDB USPAT;	2003/08/28 19:20
	311	protocol\$1 near3 (network\$1)) and	US-PGPUB;	2003/00/20 13.20
		(@ad<=19980911 or @ad<=19980911)	EPO; JPO;	
			DERWENT;	
		6300471	IBM_TDB USPAT;	2003/08/28 20:11
-	0	6389471.pn. and interrogat\$3	US-PGPUB;	2003/08/28 20:11
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000 (00 (00 00 11
-	1416	Rauch.in.	USPAT; US-PGPUB;	2003/08/28 20:11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	Rauch.in. and 'still video'	USPAT;	2003/08/28 20:11
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	Rauch.in. and (still near2 (video or	USPAT;	2003/08/28 20:12
		image\$1))	US-PGPUB; EPO; JPO;	
	}		DERWENT;	
			IBM_TDB	
-	1	Rauch.in. and (still near2 (video or	USPAT;	2003/08/28 20:12
		image\$1 or picture\$1))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	Rauch.in. and 725/\$.ccls.	USPAT;	2003/08/28 20:13
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	0		USPĀT;	2003/08/28 20:14
		near2 video)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	14	microsoft.as. and Rowe.in.	USPAT;	2003/08/28 20:18
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
	L	<u> </u>	TON TOD	

microsoft.as. and Rowe.in. and (replac\$3 or substitut\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/28 20:15
microsoft.as. and (still near2 pictur\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/28 20:19
microsoft.as. and (substitut\$4 or replac\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/28 20:20
<pre>(microsoft.as. and (still near2 pictur\$4)) and (microsoft.as. and (substitut\$4 or replac\$3))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/28 20:19
microsoft.as. and (substitut\$4 or replac\$3) and interactive	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/28 20:20
microsoft.as. and (substitut\$4 or replac\$3) same interactive	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/28 20:24
'United video properties'.as. and (replac\$3 or substitut\$3)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/28 20:25
compensat\$3 with tim\$3 with delay\$3	DERWENT; IBM_TDB USPAT; DERWENT;	2003/09/05 11:54
(compensat\$3 with tim\$3 with delay\$3)with network\$3 with conver\$6	USPAT; DERWENT;	2003/09/05 11:50
(compensat\$3 with tim\$3 with delay\$3)with network\$3	USPAT; DERWENT;	2003/09/05 11:54
network\$3) and (@ad<=19980911 or	USPAT; DERWENT;	2003/09/05 11:54
	USPAT; US-PGPUB; DERWENT;	2003/09/05 11:57
network\$3) and (@ad<=19980911 or	USPAT; DERWENT;	2003/09/05 11:55
· I	USPAT; US-PGPUB; DERWENT;	2003/09/05 11:57
(compensat\$3 with tim\$3 with delay\$3)with networks	IBM_TDB USPAT; US-PGPUB; DERWENT;	2003/09/05 11:57
((compensat\$3 with tim\$3 with delay\$3)with networks) and (@ad<=19980911 or @rlad<=19980911)	USPAT; US-PGPUB; DERWENT;	2003/09/05 12:06
(((tim\$3 near2 information) with signal)same delay\$3) and (@ad<=19980911 or @rlad<=19980911)	IBM_TDB USPAT; US-PGPUB; DERWENT; IBM TDB	2003/09/05 12:09
	or substitut\$3) microsoft.as. and (still near2 pictur\$4) microsoft.as. and (substitut\$4 or replac\$3) (microsoft.as. and (still near2 pictur\$4)) and (microsoft.as. and (substitut\$4 or replac\$3)) microsoft.as. and (substitut\$4 or replac\$3) and interactive microsoft.as. and (substitut\$4 or replac\$3) same interactive 'United video properties'.as. and (replac\$3) same interactive 'United video properties'.as. and (replac\$3 or substitut\$3) compensat\$3 with tim\$3 with delay\$3)with network\$3 with conver\$6 (compensat\$3 with tim\$3 with delay\$3)with network\$3 and (@ad<=19980911) or @rlad<=19980911) ((compensat\$3 with tim\$3 with delay\$3)with network\$3 and ((compensat\$3 with tim\$3 with delay\$3)with network\$3 ((compensat\$3 with tim\$3 with delay\$3)with network\$3 and (@ad<=19980911) ((compensat\$3 with tim\$3 with delay\$3)with network\$3) and (@ad<=19980911 or @rlad<=19980911) ((compensat\$3 with tim\$3 with delay\$3)with network\$3 ((compensat\$3 with tim\$3 with delay\$3)with network\$ ((compensat\$3 with tim\$3 with delay\$3)with network\$1 ((compensat\$3 with tim\$3 with delay\$3)with network\$3 ((compensat\$3 with tim\$3 with delay\$3)with network\$3 ((compensat\$3 with tim\$3 with delay\$3)with network\$3	US-PGPUB; EPC; JPC; DERWENT; IEM TDB USPAT; US-PGPUB; EPC; JPC; DERWENT; IEM TDB USPAT; US-PGPUB; EPC; JPC; DERWENT; IEM TDB USPAT; US-PGPUB; EPC; JPC; DERWENT; IEM TDB USPAT; US-PGPUB; EPC; JPC; DERWENT; IEM TDB USPAT; US-PGPUB; EPC; JPC; JPC; DERWENT; IEM TDB USPAT; US-PGPUB; EPC; JPC; JPC; DERWENT; IEM TDB USPAT; US-PGPUB; EPC; JPC; DERWENT; IEM TDB USPAT;

-	18	(((tim\$3 near2 information) with signal)same delay\$3 same broadcast\$3) and	USPAT; US-PGPUB;	2003/09/05 13:26
_	68	(@ad<=19980911 or @rlad<=19980911) ((tim\$3 near2 (stamp\$1 or information))	DERWENT; IBM_TDB USPAT;	2003/09/05 14:17
		<pre>with ((chang\$3 or adjust\$3 or alter\$3) near2 (clock\$1 or tim\$3)) with delay\$3) and (@ad<=19980911 or @rlad<=19980911)</pre>	US-PGPUB; DERWENT; IBM TDB	
-	442	Woo.in. and delay	USPAT; US-PGPUB; DERWENT;	2003/09/05 13:51
-	119	Woo.in. and (delay adj time)	IBM_TDB USPAT; US-PGPUB; DERWENT;	2003/09/05 13:51
-	1	Woo.in. and (delay adj time) and (time adj stamp\$1)	IBM_TDB USPAT; US-PGPUB; DERWENT;	2003/09/05 13:52
-	9	Woo.in. and (time adj stamp\$1)	IBM_TDB USPAT; US-PGPUB; DERWENT;	2003/09/05 13:53
-	0	Woo.in. and (monitor\$3 adj station)	IBM_TDB USPAT; US-PGPUB; DERWENT;	2003/09/05 13:54
_	9	Woo.in. and (broadcast\$3 adj station)	IBM_TDB USPAT; US-PGPUB; DERWENT;	2003/09/05 13:54
_	7	Woo.in. and (monitor\$3 near2 station)	IBM_TDB USPAT; US-PGPUB; DERWENT;	2003/09/05 13:55
_	0	longan.in. and (time adj stamp\$1)	IBM_TDB USPAT; US-PGPUB; DERWENT;	2003/09/05 13:55
_	0	longan.in. and (tim\$3 near2 stamp\$1)	IBM_TDB USPAT; US-PGPUB; DERWENT;	2003/09/05 13:56
-	72	longan.in.	IBM_TDB USPAT; US-PGPUB; DERWENT;	2003/09/05 13:56
-	0	longan.in. and stamp\$1	IBM_TDB USPAT; US-PGPUB; DERWENT;	2003/09/05 13:56
-	12	longan.in. and time	IBM_TDB USPAT; US-PGPUB; DERWENT;	2003/09/05 13:57
_	13	logan.in. and (time adj stamp\$1)	IBM_TDB USPAT; US-PGPUB; DERWENT;	2003/09/05 14:12
-	7922	<pre>(server or processor or head\$lend or provider or distributor) same ((alter\$3 or chang\$3 or adjust\$3 or compensat\$3) near2 (time or clock))</pre>	IBM_TDB USPAT; US-PGPUB; DERWENT;	2003/09/05 14:16
_	193	<pre>(time or clock)) (server or processor or head\$lend or provider or distributor) with ((alter\$3 or chang\$3 or adjust\$3 or compensat\$3) near2 (time or clock))with (real\$ltime or (real near2 time))</pre>	IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB	2003/09/05 14:17

Page 10

	98	((server or processor or head\$lend or	USPAT;	2003/09/05 14:19
		provider or distributor) with ((alter\$3 or	US-PGPUB;	
		chang\$3 or adjust\$3 or compensat\$3) near2	DERWENT;	
		(time or clock)) with (real\$1time or (real	IBM TDB	
		near2 time))) and (@ad<=19980911 or	~	
		@rlad<=19980911)		
-	43	((server or processor or head\$1end or	USPAT;	2003/09/05 14:19
		provider or distributor) with ((alter\$3 or	US-PGPUB;	
		chang\$3 or adjust\$3 or compensat\$3) near2	DERWENT;	
		(time or clock)) with (real\$1time or (real	IBM TDB	
		near2 time))) and (@ad<=19980911 or	-	
		@rlad<=19980911)and delay		
-	50	((server or processor or head\$1end or	USPAT;	2003/09/05 14:33
		provider or distributor) with ((alter\$3 or	US-PGPUB;	
		chang\$3 or adjust\$3 or compensat\$3) near2	DERWENT;	
		(time or clock)) with (real\$1time or (real	IBM TDB	
ļ		near2 time))) and (@ad<=19980911 or	_	
		@rlad<=19980911)and delay\$3		
-	16539	adjust\$3 with clock	USPAT;	2003/09/05 14:32
			US-PGPUB;	
			DERWENT;	ĺ
			IBM TDB	
-	3354	(adjust\$3 with clock) with delay\$3	USPAT;	2003/09/05 14:32
			US-PGPUB;	
			DERWENT;	
			IBM_TDB	
-	133	((adjust\$3 with clock) with delay\$3)same	USPAT;	2003/09/05 14:33
		network\$3	US-PGPUB;	
			DERWENT;	
}	İ		IBM_TDB	
-	91		USPAT;	2003/09/05 14:39
		network\$3) and (@ad<=19980911 or	US-PGPUB;	
		@rlad<=19980911)	DERWENT;	
			IBM_TDB	
-	15		USPAT;	2003/09/05 14:45
		network\$3) same compensat\$4) and	US-PGPUB;	
		(@ad<=19980911 or @rlad<=19980911)	DERWENT;	
			IBM_TDB	
-	10	lappington.in. and delay	USPAT;	2003/09/05 14:48
			US-PGPUB;	
	1		DERWENT;	
	1		IBM_TDB	
-	10	lappington.in. and delay and time	USPĀT;	2003/09/05 14:48
	1		US-PGPUB;	
			DERWENT;	1
			IBM TDB	